

Lifeline Cell Technology Certificate of Analysis

Product Name: Catalog Number: **Human Bladder Fibroblasts**

Product Description:

Cryopreserved human bladder fibroblasts. Bladder Fibroblasts are cryopreserved in P2, after isolation from tissue cells are cultured for two

passages and then cryopreserved. Vials contain 500,000 cells in one ml

cryopreservation solution.

Product Lot Number: Manufacture Date:

01311 MAY2010

FC-0050

Expiration Date:

Not applicable when stored at or below -150° C

Product Information


Race: Caucasian Cause of Death: Head Trauma/MVA

Recommended Culture Medium:.....FibroLife, LM-0001 supplemented with:

Low serum FibroLife S2 LifeFactors Kit, LS-1038

Test	Specifications	Results
Sterility (bacteria, yeast and fungi)	negative	negative
Sterility Test, mycoplasma	negative	negative
PCR virus testing:		
Hepatitis B	negative	negative
Hepatitis C	negative	negative
HIV-1 & HIV-2	negative	negative
Viable Cell Count:	≥500,000 cells/ml	950,000 cells/ml
Viability (by Trypan Blue Exclusion):	>70% viable	87% viable
Cell Growth in DermaLife		
Population Doubling capacity	>15 doublings	15.04 doublings
Cell morphology	normal	normal
Characterization		
Smooth muscle α-actin	negative	negative
Von Willebrand Factor	negative	negative

Picture of P_3 Bladder Fibroblasts lot# 01311 cultured in FibroLife S2 growth medium, day 5 in culture from an inoculation of 2,500 cells/cm².



Quality Control

Jeremy Hammond

June 17, 2014

Jeremy Hammond, C Director Lifeline Cell Technology

To place an order call Lifeline technical and customer service at (877) 845-7787 or you may submit an order form by fax to (443) 393-0393. Order form available on line at www.lifelinecelltech.com/order.