

730 Vassar Avenue, Lakewood, NJ 08701 800.445.9603 * 732.942.1660 fax 800.368.3108 * 732.942.9270 www.worthington-biochem.com

	Certificate of	of Analysis	
Product	Protease, S. aureus, Sequencing Grade		
Source	Staphylococcus aureus V8		
Country of Manufacture	USA		
Storage	Store at 2-8°C.		
Code	STSEQ		
Lot Number			
Re-Assay Date			
Description	Chromatographically purified according to lyophilized powder containing 10µg or 50µ	Drapeau, G, et.al, JBC, 247, 6720 (1972). Supplied as ag protein.	s a
Unit Definition	One unit causes a change of 0.001 A280 nn	m per minute at 37°C, pH 7.8 using casein as the subst	rate
Parameter	Result	Acceptance Criteria	
mgP/vial, LS0212	0.0114	≥0.010mg	
u/vial, LS02126	22.8	≥5.00u	
u/mgP, LS02126	2,000	≥500	

Please note that the release parameters, previously reported on a dry weight basis, are now reported on a protein basis for improved accuracy. Please contact Technical Service (800.445.9603, techservice@worthington-biochem.com) for any additional information.

Approved by: Thomas R. Ryan, Quality Control Manager (signature on file)